



Calcasieu Parish Sheriff's Office

TONY MANCUSO, SHERIFF AND EX-OFFICIO TAX COLLECTOR

Parish of Calcasieu • 5400 E. Broad Street • Lake Charles, LA 70615
Phone (337) 491-3700 • Fax (337) 494-4522

QUOTE REQUEST

Individual Requesting Quote: <u>Dana Dawkins</u>	Project Name: <u>CPSO Hurricane Laura Rebuild 1</u>
Quote Due Date & Time: <u>October 26, 2021 2:00 PM</u>	Project Director: <u>Dana Dawkins</u>
Date of Request: <u>September 28, 2021</u>	Project Start Date: _____
Department: _____	Project Completion Date: _____
Phone Number: <u>904-832-3097</u>	Grant Name & #: <u>N/A</u>

All responses to this quote solicitation must be completed using this form and must be transmitted using one of the three delivery options below:

1. Physical Delivery: Accounting – 5400 E Broad St, Lake Charles, LA 70615
2. Electronic Submission: Kimberly Shelton - kshelton@cpsol.com

ALL OTHER TRANSMISSIONS WILL NOT BE ACCEPTED OR HONORED.

The Calcasieu Parish Sheriff's Office is requesting detailed, itemized, written quotes for the following scope of work/project: **CPSO Hurricane Laura Rebuild 1**

Scope of work/Project Description: **See Attached**

Specific insurance will be required will not be required for the completion of the scope of work/project above. If specific insurance will be required, please see attached insurance requirements.

A separate contract will be required will not be required prior to completion of the scope of work/project above. If separate contract is not required, this quote request will become the contract.

Any public works contract (as defined by **LA R.S. 38:2211(12)**) which is greater than **\$25,000** requires a **100% payment and performance bond**. Any quotes greater than or equal to the following shall be delivered in a sealed envelope to Purchasing with an applicable Louisiana Contractor's License number printed on the outside of the envelope: **\$50,000** for public works; **\$10,000** for electrical and mechanical; and **\$1** for hazardous materials.

Vendor's Price Quote Excluding Taxes: \$ _____ If requested, the Calcasieu Parish Sheriff's Office will provide a tax-exempt certificate. Quotes must be inclusive of all costs (material, labor, installation, FOB destination, freight prepaid & allowed, any rentals, fees if required, etc).

Quote effective from: _____ to _____

Quote submitted by: _____
Company Name

Company Phone Number: _____ Fax Number: _____

Signature of Person Submitting Quote

Name Printed

Exhibit A – Carlyss Substation (Asset #012-001)

1. Scope of Work/Specifications – Attached
2. Insurance Requirements – Attached
3. Site visit to confirm scope/specifications – Attached
4. Start Date: November 1, 2021
5. Price to include disposal of materials. Dumpster cost and disposal fees to be included in price.
6. The contractor shall submit a work schedule that includes milestone dates and the date of substantial completion no later than 4:30 pm November 5, 2021.
7. Materials are to be approved by the owner.

Carlyss Sub Station

Demo Scope:

Disconnect/Terminate/Shut off/Cap the following services:

- Cable/Telephone Box- North East corner of building. Protect Box for reconnections of services.
- Domestic water- North East corner of building. Cap line servicing building. Protect for reconnection.
- Electrical- West side of building. Disconnect electrical service feed from meter to panel at panel.
- Sanitary Sewer- West side of building. Disconnect all existing sanitary waste lines. Cap at one location for future reconnection at West side of building

Demo/Dispose brick skirting around building perimeter along north, west and east elevations. Demo/Dispose of wood panel skirting along south elevation. Protect existing concrete stairs and ADA ramp for re-use.

Remove ADA entry way roof system and dispose. Protect ADA ramp and front stairway. Remove existing modular unit from site.

Re-Connection Scope:

- Cable/Telephone
- Domestic water- Make water service connections to new modular unit as required.
- Electrical- Make required connections to new modular unit electrical service panel as required.
- Sanitary Sewer- Make sanitary service connections to new modular unit as required.
- Make secure walkway connection from existing concrete stair and ADA ramp to new modular entrance.
- Install new metal entrance canopy matching existing canopy depth and width utilizing two (2) columns as did previous canopy. New canopy connection to new modular unit to be watertight and match new adjacent modular finishes.
- Install brick wind skirting all sides. Provide ventilation per modular building standards for square footage.

Modular Scope & Specifications:

Provide a pre-manufactured modular building, deliver and set up unit ready for re-connection as listed above. Modular unit must be approved for layout and size. See sketch. Unit must match existing unit foot print. Set and level unit to elevation that will work with existing concrete stairs and ADA ramp. Install all required anchor tie downs per applicable codes. Protect all utilities connection points.

Modular framing materials must meet 2018 IBC for commercial buildings and shall receive that Louisiana State Seal for meeting all necessary criteria for its intended use and location.

ADA/Entryway Roof Canopy

Construct entry canopy to tie-in to new modular building to match coverage of previous canopy. Construction to meet all applicable codes. Finishes to match new modular building. Canopy roof to match and be tied-in to new modular building roof.

Fencing:

- Remove and replace (2) galvanized metal fence posts. (2) on left in photo.
- Straighten (1) gate fence post. Right side in photo.
- Provide (1) new section galvanized chain link fence (8'-0").
- Provide (1) new galvanized chain link gate (25'-0").






Exhibit A – Metal Buildings (Multiple Locations)

1. Scope of Work/Specifications – Attached
2. Insurance Requirements – Attached
3. Site visit to confirm scope/specifications – Attached
4. Start Date: November 1, 2021
5. Price to include disposal of materials. Dumpster cost and disposal fees to be included in price.
6. The contractor shall submit a work schedule that includes milestone dates and the date of substantial completion no later than 4:30 pm November 5, 2021.
7. Materials are to be approved by the owner.

METAL BUILDING SUMMARY OF WORK

A. Project Summary:
Calcasieu Parish Sheriff's Office

SHEDS DESCRIPTION: 12'x16' Shed with non-electric Garage Door. Pressure treated wood floor brown roof tan walls



REMOVE AND DISPOSE OF ALL OLD SHEDS

Iowa Substation

203 HWY 90 W, IOWA LA 70647

New Shed 1.00 EA
Level and anchor each unit

Dequincy Substation

618 E Center Street, DeQuincy LA 70633

New Shed 1.00 EA
Level and anchor each unit

K-9 Building

5400 E BROAD ST, LAKE CHARLES LA 70615

New Shed 1.00 EA
Level and anchor each unit

Carlyss Substation

4525 Hwy. 27 South, Carlyss LA 70665

New Shed 1.00 EA
Level and anchor each unit

Vinton Substation

1302 CENTER ST, VINTON LA 70668

New Shed 1.00 EA
Level and anchor each unit

Starks Substation

4352 Hwy.12, Starks LA 70661

New Shed 1.00 EA
Level and anchor each unit

Moss Bluff Substation

115 Bronco Lane, Moss Bluff LA 70611

New Shed 1.00 EA
Level and anchor each unit

Bell City Substation

7085 Hwy. 14 E, Bell City LA 70630

New Shed 1.00 EA
Level and anchor each unit

South Lake Charles Substation

7098 Gulf Hwy. Lake Charles LA 70607

New Shed 1.00 EA
Level and anchor each unit

Sulphur Substation

1525 Cypress St, Sulphur LA 70663

New Shed 2.00 EA
Level and anchor each unit

Upon completion of setting, leveling and anchoring of new sheds restore any disturbed site conditions

REMOVAL OF OLD SHEDS NOT REQUIRED AT THIS LOCATION

North Lake Charles Substation

7098 Gulf Hwy. Lake Charles LA 70607

New Shed 2.00 EA

Level and anchor each unit

Shed 1 with a right side opening



Shed 2 with a left side opening



Level and Anchor Each Unit

Upon completion of setting, leveling and anchoring of new sheds restore any disturbed site conditions

CARPORTS/AWNINGS

K-9 Building

5400 E BROAD ST, LAKE CHARLES LA 70615

CARPORT: On the east side of the building 52ft x 12ft carport, plate fixed to the ground. Boxed purlins 8in columns, 12ft in height. **Stand alone, do NOT attach to existing K-9 Building..**

AWNING: Front of building 40ft x 22ft, attached. Boxed purlins 8in columns, 12ft in height.
Attach to structural elements of existing K-9 Building.

AWNING: West side of the building 5ft x 40ft Boxed purlins 8in columns, 12ft in height.
Stand alone, do NOT attach to existing K-9 Building.

Moss Bluff Substation

115 Bronco Lane, Moss Bluff LA 70611

CARPORT: On the north side of the building 20ft x 20ft free standing carport, plate fixed to the ground. Boxed purlins 8in columns, 12ft in height. Demo and dispose of the remaining pieces of the current carport.
Attach to structural elements of existing building.

ROLL-UP DOORS

Training Academy 3958 Mallard Cove Dr, Lake Charles LA 70615

Remove and Replace TWO 10' x 10' roll up doors and hardware on storage shed

Carpenter Shop 5400 Broad St, Lake Charles LA 70615

Remove and Replace 10' x 10' roll up door and hardware.

Exhibit A – Sulphur Substation Garage (Asset #007-001)

1. Scope of Work/Specifications – Attached
2. Insurance Requirements – Attached
3. Site visit to confirm scope/specifications – Attached
4. Start Date: November 8, 2021
5. Price to include disposal of materials. Dumpster cost and disposal fees to be included in price.
6. The contractor shall submit a work schedule that includes milestone dates and the date of substantial completion no later than 4:30 pm November 5, 2021.
7. Samples and products are to be approved by the owner.

Sulphur Garage/Shed

Quantity

North Elevation Exterior

Cap water supply for removal and replacement of metal wall panel	1.00 EA
Protect electrical conduit entering wall panel	1.00 EA
Remove and replace metal wall panels	354.76 SF
Contractor verify Quantity	
Remove and replace exterior metal door	1.00 EA

East Elevation Exterior

Remove and replace metal wall panels	202.72 SF
Contractor verify Quantity	

South Elevation Exterior

Remove and replace exterior double electrical switch	1.00 EA
Remove and replace exterior electrical outlets	3.00 EA
Protect compressed air line during metal panel replacement	1.00 EA
Protect exterior hose bibb during metal panel replacement	1.00 EA
Remove and replace metal wall panels	354.76 SF
Contractor verify Quantity	

West Elevation

Remove and replace exterior LED light fixture	1.00EA
Remove and replace roll up door- 10'x10'	1.00 EA
Remove and replace roll up door hardware	1.00 EA
Remove and replace garage door opener	1.00 EA
Remove and replace metal wall panels	102.72 SF
Contractor verify Quantity	

Garage Roof

Remove and replace metal roof panel	320.00 SF
Contractor verify Quantity	

Garage Door

Remove & replace existing garage door 10' x 10'	1.00 EA
---	---------

Interior Garage

Remove and replace light switch	1.00 EA
Remove and replace light fixtures	2.00 EA
Remove and replace ceiling fan	1.00 EA
Detach and reset camera	1.00 EA
Detach and reset phone/data conduit/wall mounted board	1.00 EA
Remove and replace wall outlets (south wall)	3.00 EA
Remove and replace electrical panel	1.00 EA
Remove abandoned electrical conduit-as required	
Detach and reset electric fan (west wall) shed area of garage	1.00 EA

Note

All metal wall and roof panels at shed (south side garage) to be replaced

Contractor verify Quantity

Walls

167.69 SF

Roof

492.00 SF



Exhibit A – Exterior Signage (Multiple Locations)

1. Scope of Work/Specifications – Attached
2. Insurance Requirements – Attached
3. Site visit to confirm scope/specifications – Attached
4. Start Date: November 1, 2021
5. Price to include disposal of materials. Dumpster cost and disposal fees to be included in price.
6. The contractor shall submit a work schedule that includes milestone dates and the date of substantial completion no later than 4:30 pm November 5, 2021.
7. Materials are to be approved by the owner.

SIGNAGE SUMMARY OF WORK

B. Project Summary:
Calcasieu Parish Sheriff's Office

PLEASE PROVIDE CPSO WITH PROOFS FOR APPROVAL BEFORE RELEASING THE ORDER
Restore any disturbed site conditions to that of the area prior to installation

Calcasieu Parish Sign and Sign Base Removal and Repair

*Signs will be 48" x 96" with digital UV Laminated Decal Overlay. Single sided aluminum composite panel 1/8"
Premium printed wrap vinyl*

DESCRIPTION

South Lake Charles Substation
7098 Gulf Hwy. Lake Charles LA 70607

Remove and replace commercial sign face and cabinet. Base to remain



Carlyss Substation
4525 Hwy. 27 South, Carlyss LA 70665

Remove and replace commercial sign face and cabinet. Base to remain



K-9 Building
5400 E BROAD ST, LAKE CHARLES LA 70615

Remove and replace commercial sign face and cabinet. Repair sign base. New sign will be consistent with the blue aluminum substation signage.



John Scott Doyle Building
5300 E BROAD ST, LAKE CHARLES LA 70615

Remove and replace commercial sign face and cabinet. Repair sign base. New sign will be consistent with the blue aluminum substation signage.



Sulphur Substation
1525 Cypress St, Sulphur LA 70663

Remove and replace commercial sign face and cabinet. Repair sign base



Marine Operations
150 Marine, Lake Charles LA 70601

Replace two commercial sign faces and cabinet. Repair sign base
Repair and seal holes in cement board from previous sign anchor



SUMMARY OF WORK

- A. Particular project requirements: No disruption to normal operations of occupants, if occupied.
- B. Permits: Apply for, obtain, and pay for permits required to perform the work. Submit copies to Owner.
- C. Codes: Comply with applicable codes and regulations of authorities having jurisdiction. Submit copies of inspection reports, notices and similar communications to Owner.
- D. Dimensions/Plans: Contractor is responsible to field verify all dimensions, locations and penetrations.
- E. Existing Conditions: Notify Owner of existing conditions differing from those indicated on the drawings. Do not remove or alter structural components without prior written approval.
- F. Definition for terms used in the Specifications:
 - 1. Provide: Furnish and install, complete with all necessary accessories, ready for intended use. Pay for all related costs.
 - 2. R&R: Remove and Replace.
 - 3. Approved: Acceptance of item submitted for approval. Not a limitation or release for compliance with the Contract Documents or regulatory requirements. Refer to limitations of “Approved” in General and Supplementary Conditions.
 - 4. Match Existing: Match existing as acceptable to the Owner.
 - 5. Intent: Drawings and Specifications are intended to provide the basis for proper completion of the work suitable for the intended use of the Owner. Anything not expressly set forth, but which is reasonable implied or necessary for proper performance of the project shall be included.
 - 6. Writing Style: Specifications are written in the imperative mode. Except where specifically intended otherwise, the subject of all imperative statements is the Contractor. For example, “Provide tile” means Contractor shall provide tile.

PART 2 - PRODUCTS - Not applicable to this Section.

PART 3 - EXECUTION - Not applicable to this Section.

END OF SECTION

Calcasieu Parish Sheriff's- Insurance Requirements for Projects Twenty-Five Thousand and Greater

Where applicable, any Contractor, Subcontractor, Consultant, Architect, Engineer, Other Professional or Vendor (herein after referred to as Contractor collectively), who performs services for the Owner in the amount of twenty-five thousand dollars or greater shall maintain the following insurance coverage with insurance companies acceptable to the Owner. Those insurance companies must be rated by A.M. Best Rating Guide with an A-VII rating or better. In the event that insurance requirements are included elsewhere within any other procurement documents, the requirements contained within this article shall supersede any such reference.

In connection therewith, the Contractor agrees to provide to the Owner, at the Contractor's expense and prior to any entry on the Owner's property, proof of casualty insurance, including workers compensation, coverage set forth. The Contractor agrees to furnish to the Owner certificates evidencing said insurance coverage for the full terms of this agreement which certificates shall name the Owner as an Additional Insured on all policies except workers compensation and professional liability policies. The Additional Insured endorsement specific to General Liability coverage shall include both on-going and completed operations coverage. The additional insured endorsements shall be at least as broad as the Insurance Services Offices forms CG 20 10 and CG 20 37, 07/04 edition forms, through the period of repose. All policies except for professional liability policies, shall include a Waiver of Subrogation in favor of the Owner and shall be evidenced on the certificate. Notice of cancellation shall be provided in accordance with policy cancellation provisions. Insurance provided shall be primary and non-contributory.

The Contractor agrees to maintain the coverage limits and endorsements as listed herein. The Contractor's obligation to provide the required insurance will not be waived by the Contractor's failure to provide the certificate of insurance, the Owner's acceptance of a certificate of insurance showing coverage varying from the required coverage, or the Owner's allowance to commence work.

No work shall commence under any contract until the following insurance coverage is obtained, by the Contractor:

(1) Worker's Compensation

(a) Standard Louisiana Coverage (Always Required)- Worker's Compensation Coverage:

- (i) Should cover all employees, including owners, (ii) must be statutory for medical and indemnity and (iii) should have a minimum limit for employer's liability of:

Employer's Liability -	\$1,000,000 per accident
	\$31,000,000 each employee - disease
	\$1,000,000 policy limit - disease

(b) USL & H or Jones Act Coverage (depending on the body of water)

Required Not Required

When specifically required by the Owner (as denoted with an "X" in the above "Required" box), the Contractor shall procure and maintain during the life of this contract Worker Compensation specifically covering maritime activities. The scope of the project will determine whether maritime insurance is required but if the project is going to be performed over any body of water then this separate coverage should be obtained.

(2) Comprehensive General Liability Insurance (Always Required)

The term Contractor refers collectively, where applicable, to any Contractor, Subcontractor, Consultant, Architect, Engineer or Vendor performing services for the Owner.

(a) Comprehensive General Liability ("Claims Made Policies" may not be used)

\$1,000,000 per occurrence
\$2,000,000 general aggregate (Q Limit applies to specific project^] Limit applies to policy)
\$1,000,000 products/ completed operations aggregate \$1,000,000 personal injury and advertising coverage

Sub: Comprehensive General Liability

Any Sub Contractors utilized will be X Required Not Required to maintain the above comprehensive general liability policy limits.

(b) Automobile Liability (Owner, Non-Owned, and Hired Car)

\$1,000,000 per occurrence Sub:

Automobile liability

Any Sub Contractors utilized on the project will be X Required ___ Not Required
to maintain the above automobile liability policy limit

(c) Umbrella Policy

Unless specifically excluded for project specific reasons, the Contractor shall procure and Maintain during the life of this contract an Umbrella Policy as follows:

\$5,000,000 each occurrence Coverage Specifically Excluded for this Project
\$5,000,000 general aggregate

(3) Owner's Contractor Protective Liability Policy (OCP Policy)

Required X Not Required

When specifically required by the Owner (as denoted with an "X" in the above "Required" box), The Contractor shall procure and maintain during the life of this contract an Owner's Contractor Protective Liability Policy (OCP) in a minimum amount of \$1,000,000 (per occurrence) and \$2,000,000 (general aggregate). This type of policy provides the Owner with separate coverage up to the above limits as opposed to shared coverage when the Owner is only named as an additional insured on the Contractors main policy.

(4) Property Insurance (Builder's Risk Insurance)

___ Required X Not Required

Coverage shall be All Risk, **Including Flood. A separate NFIP policy will be allowed.**

When specifically required by the Owner (as denoted with an "X" in the above "Required" box), the Contractor shall purchase and maintain property insurance covering the work site up to the full insurable value equal to the Contract sum and the insurance shall be endorsed to comply with any waiver of rights provisions. The property insurance shall be "All Risks Builder's Risk Completed Value Form" insurance or equivalent manuscript policy, and shall include without limitation, insurance against all perils.

The property insurance shall also contain an endorsement or specific provision to cover damages, losses and expenses incurred in the repair or replacement of any insured property (including, but

not limited to charges of engineers, architects, attorneys and others). The Property insurance also shall include by endorsement or special provision the following additional coverage elections: operational testing (if risk is present), off premises storage not on the site or in transit and property in transit. When required, no work may commence on the site until the Builder's Risk Insurance is obtained.

The Contractor is to provide Builder's Risk Insurance to protect the Owner, Architect, Engineer, Contractor, and any Subcontractors as to any interests that may exist. Until acceptance of work by the Owner, all work in connection with a particular contract is in the custody, charge and care of the Contractor who will take every necessary precaution against injury or damage to any part thereof whether arising from execution or from the non-execution of the work.

Contractor shall be responsible for payment of the deductible for Builder's Risk Insurance or any other property coverage deemed required to be purchased for this Contract, whether acquired by the owner or otherwise.

(5) Errors & Omissions Policy (Professional Liability Insurance)

(Applicable Only to Professional Services Contracts including, but not limited to, Architect, Engineer, Consultant or Other Professional Contracts)

Required Not Required

This policy covers negligent acts, errors and omissions in its performance of professional Services with minimum policy limits of \$1,000,000 per claim and \$1,000,000 general aggregate.

Section B - Other Insurance Requirements

(1) Additional Insured Classification and Waiver of Subrogation (Always Required)

The Owner must be listed as an additional insured on all policies except for worker's compensation and professional liability insurance policies. All policies will provide notice of cancellation in accordance with policy provisions. Waiver of subrogation will be given to the Owner on all policies, which means that the Contractor's insurer(s) will have no right of recovery or subrogation against the Owner.

Except for professional liability insurance, it is the intention of the parties that the insurance policy shall protect both parties and be PRIMARY AND NON-CONTRIBUTORY COVERAGE for any and all losses covered. Again, all policies required above shall be primary to any insurance carried by the Owner. The insurance companies shall have no recourse against the Owner for payment of any premiums or for assessments under any of the above policies.

(2) Indemnification for all Contractors, Except for Architects, Engineers or Other Licensed Professionals (Always Required)

The Contractor will indemnify, defend, and hold harmless the owner, including the owner's employees and agents, from and against any and all claims or liabilities, arising from the fault of the Contractor, its employees, subcontractors or agents in carrying out the Contractor's duties and obligations under the terms of this agreement. This section will survive the termination of any agreement. In the event that either party takes any action to enforce this mutual indemnity provision, the prevailing party shall be entitled to recover reasonable attorney's fees and costs arising as a result thereof.

(3) Indemnification for Architects, Engineers or Other Licensed Professionals (Always Required)

The Contractor will indemnify and hold harmless the owner, including the owner's employees and agents, from and against any and all claims or liabilities, arising from the fault of the Contractor, its employees, subcontractors or agents in carrying out the Contractor's duties and obligations under the terms of this agreement. This section will survive the termination of any agreement. In the event that either party takes any action to enforce this mutual indemnity provision, the prevailing party shall be entitled to recover reasonable attorney's fees and costs arising as a result thereof.

CPSO Hurricane Laura Rebuild 1

Site Visit to Confirm Scope/Specifications please contact Dana or Gary

Dana Dawkins Construction Manager 904-832-3097 ddawkins@cmtslc.com

if unavailable

Gary Morgan Special Projects 337-263-4537 gmorgan@cpsoc.com